

**SYSTEM AND METHOD FOR PERIPHERAL DEVICE VIRTUAL
FUNCTIONALITY OVERLAY**

Peter Camble
56 Seymour Road
Bishopston, Bristol BS7 9HT
Citizenship: United Kingdom

Stephen Gold
Rock Cottage
Stone Lane
Winterbourne Down, Bristol BS36 1DJ
Citizenship: United Kingdom

Stan Feather
1309 Hilltop Drive
Longmont, CO 80501
Citizenship: U.S.A.

RELATED APPLICATIONS

[0001] The present invention is related to the following copending and commonly assigned United States patent applications: serial number [30014510-1] entitled System and Method for Partitioning a Storage Area Network Associated Data Library, filed December 28, 2001; serial number [30014511-1] entitled System and Method for Partitioning a Storage Area Network Associated Data Library Employing Element Addresses, filed December 28, 2001; serial number [30014512-1] entitled System and Method for Managing Access To Multiple Devices in a Partitioned Data Library, filed December 28, 2001; serial number [30014514-1] entitled System and Method for Securing Drive Access to Media Based On Medium Identification Numbers, filed December 28, 2001; serial number [30014515-1] entitled System and Method for Securing Drive Access to Data Storage Media Based On Medium Identifiers, filed December 28, 2001; serial number [30014516-1] entitled System and Method for Securing Fiber Channel Drive Access in a Partitioned Data Library, filed December 28, 2001; serial number [30014517-1] entitled Method for Using Partitioning to Provide Capacity on Demand in Data Libraries, filed December 28, 2001; serial number [30014518-1] entitled System and Method for Intermediating Communication with a Moveable Media Library Utilizing a Plurality of Partitions, filed December 28, 2001; and serial number [30008195-1], entitled System and Method for Managing a Moveable Media

Library with Library Partitions, filed December 28, 2001; the disclosures of which are hereby incorporated herein by reference.

TECHNICAL FIELD

[0002] The present invention generally relates to data storage, and specifically to a system and method for providing a peripheral device virtual functionality overlay.

BACKGROUND

[0003] In certain storage area networks (SANs), a small computer systems interface (SCSI)-based data library or the like is made part of the SAN. A SAN may be fiber channel (FC)-based and may employ data mover functionality or similar direct read/write technology. Generally data mover functionality employed by FC-based devices is not available in SCSI-based storage devices, such as SCSI-based tape drives of the aforementioned SCSI data library. If a data mover is required to function based on a SCSI-extended third party copy command associated with each tape drive in a library this cannot be implemented on an existing parallel SCSI connected tape drive, as the tape drives cannot directly communicate with a data mover or a storage device such as a FC disk array from which data is being moved.

[0004] In existing FC-to-SCSI bridges connecting a SCSI-based data library to a FC-based SAN, data mover logical unit numbers (LUNs) may be created by the bridge firmware to act as virtual data mover devices. However, this generally means that a separate data mover LUN has to be defined for each tape drive attached to the bridge, particularly when the FC-to-SCSI bridge includes tape library partitioning and security functions. A system and method for partitioning a data library is disclosed in the aforementioned U.S. Patent Application Serial No. [30014512-1] entitled "System and Method for Managing Access To Multiple Devices in a Partitioned Data Library".

[0005] Further problems arise in certain SAN usage scenarios. For storage service providers (SSPs), or the like, there are often multiple customers attempting to share the same common SAN resources. There is a need to ensure that a customer can only access the storage resources allocated to that customer. Others should be prevented from accessing a customer's storage. For example, if a customer stores their critical business data with a

SSP, then they generally do not want other customers of the SSP reading their data or even being aware that they have information stored with the SSP. Thus, there is a need to secure the device resources of a SAN attached data library so that only specified servers connected to the SAN can access or be aware of those resources.

[0006] FC switches have the capability of configuring security zones that define which world wide names (WWNs) or FC ports of servers can see which WWNs or FC ports of devices. However, FC switch security zones do not extend to FC addresses or FC device LUNs. Therefore, it is currently only possible to secure at the FC port level using FC switches and switch zoning. Even were it possible to secure at the FC port level, in the case of SCSI tape libraries that are attached behind FC bridges, it would be very difficult for a user to define security zones particularly based on tape library partitions. To implement security using FC switch zoning, the user would have to map the data mover LUNs into the correct library partitions. It would be difficult for a user to correctly identify which FC ports and LUNs are associated together in the same security zone for a switch, and the user could easily make mistakes in such a manual process.

SUMMARY OF THE INVENTION

[0007] A method for providing a peripheral device virtual functionality overlay for a data library comprises intercepting commands to a library data transfer element within a bridge disposed between a command initiator and the library, passing through commands that can be carried out by the data transfer element to the data transfer element, and executing, with the bridge, commands addressed to the data transfer element that cannot be carried out by the data transfer element.

BRIEF DESCRIPTION OF THE DRAWING

[0008] FIGURE 1 is a diagrammatic illustration of a SAN employing an embodiment of the present system and method for overlaying peripheral device virtual functionality;

[0009] FIGURE 2 is a diagrammatic illustration of an example of a data library employing an embodiment of the present system and method; and

[0010] FIGURE 3 is a flow chart of a method of operation of an embodiment of the present overlay.

DETAILED DESCRIPTION

[0011] The present invention is directed to systems and methods that employ FC-to-SCSI bridges or similar devices to implement additional virtual functionality for peripherals attached to the bridge. Such functionality could, for example, include direct peripheral-to-peripheral data movement commands, such as a tape drive sourcing data from a disk drive directly without involvement of a host computer, or such as a disk drive transferring data directly onto a tape drive. With the present invention, functionality, such as zero down-time backups (ZDBs) via data mover interconnectivity, may be advantageously employed by a SAN using peripheral devices heretofore unable to implement such functionality in a direct manner. Other functionality that embodiments of the present system and method may enable includes, but is not limited to, error recovery, caching, error logging, diagnostic logging, error management, diagnostic management, data compression, data encryption and provision of drive or media statistics.

[0012] Additional or alternative functionality provided according to the present invention may include management and environmental monitoring commands. Preferably, as far as a host or other command initiator is concerned, such data mover, management or monitoring functionality is implemented by the peripheral(s). In other words, the intermediary bridge is preferably transparently overlaying the aforementioned functionality over the peripheral command set(s).

[0013] The present system and method enables the foregoing extra functionality to be retrofitted to existing devices, particularly SCSI-based data tape libraries. For example, tape drive-based data mover functionality such as ZDBs may be implemented in a FC-to-SCSI bridge that connects the tape drive to a FC attached SAN.

[0014] If there are data movers in the FC-to-SCSI bridge, it is generally desirable to secure the device resources on the bridge so that only specific authorized servers connected to the SAN can access the data movers. Therefore, device-level security features in the bridges are preferably integrated with the present virtual overlay commands.

[0015] If existing SCSI devices, such as data tape libraries, are connected to a Fibre Channel SAN via a FC-to-SCSI bridge, then the tape library can be partitioned with a subset of the tape drives, slots and a virtual medium changer device per partition. Such a partitioning method and system are disclosed in U.S. Patent application serial number [30014510-1] entitled "System and Method for Partitioning a Storage Area Network Associated Data Library". Each partition can be secured with a list of authorized unique host device identifiers such as FC world wide names (WWNs). Every host and device connection into a FC SAN has a unique WWN, which can be used to uniquely identify a device or host connection. However, as noted above, FC-to-SCSI bridges in the tape library, including the present data mover functionality, may be secured to prevent unauthorized servers accessing data from the tape library via the data movers.

[0016] Turning to FIGURE 1, SAN 100 is shown. By way of example, first and second customer servers 101 and 102 are connected to SAN 100 via FC switch 103. redundant array of independent disks (RAID) 104 may be partitioned assigning first partition 105 to server 101 and second partition 106 to server 102 using existing FC LUN-based RAID partitioning methods. ZDBs may be performed in accordance with the present invention of the data each server has on the RAID-to-tape library 108, via ZDB interconnectivity 107 between RAID 104 and tape library 108. Such ZDBs are preferably carried out without impinging on the processor operations or LAN capacity of servers 101 and 102. Data tape library 108 is preferably partitioned into multiple virtual library partitions. Each library partition preferably has one or more physical tape drives, a unique subset of the library media slots, and a virtual dedicated library changer device LUN assigned to the partition, such partitioning system and method is disclosed in aforementioned copending application serial number [30014511-1] entitled "System and Method for Partitioning a Storage Area Network Associated Data Library Employing Element Addresses" and copending application serial number [30014510-1] entitled "System and Method for Partitioning a Storage Area Network Associated Data Library". These systems and methods may be used to ensure that backup or archive data for server 101 is maintained in partition 109 separate from data for server 102, and that the backup or archive data of server 102 is maintained in partition 110 separate from data for server 101. Such partitioning ensures that the servers may not access each other's data even though it is maintained in the same physical library.

[0017] Data tape library 200 employing a preferred embodiment of the present system and method is illustrated in FIGURE 2 as an example of a library that may be employed as library 108 of FIGURE 1. However, other library designs and/or capacities may embody the present system and method. Exemplar data tape library 200 has four data transfer elements in the form of tape drives 201-204, forty media storage element slots 205 that are shown organized into four trays 206-209 of ten slots each, two FC-to-SCSI bridges 210 and 211, a library management interface card or remote management card (RMC) 212 and library controller 213. Tape drives 201-204, FC-to-SCSI bridges 210 and 211, RMC 212 and library controller 213 preferably communicate with each other using an inter-integrated circuit (I²C) serial management bus 214 and/or automated control interface (ACI) 214 or the like. Typically, tape drives 201-204 are SCSI-based devices.

[0018] For partitions to employ the present system and method, library media slots 205 and tape drives 201-204 should be assigned to each partition, and a virtual library controller may be addressable with respect to each partition. The slots may be assigned by trays or individually. The example partitioning shown in FIGURE 2 is indicated by boxes 215, 216 and 217 representing three partitions of the illustrated configuration. Import/export elements or mailslots may be assigned to each partition or configured for use by the entire library. Preferably, easily accessible media storage slots may be configured as mailslots by the present invention. For the partitioning system and method to be transparent to a user server, the library robotic arm used to move media from slots to drives is preferably shared among user servers. However, it should appear to each server that it is the owner of the arm.

[0019] SCSI library controller 213 is preferably connected to one of the FC-to-SCSI bridges, such as FC-to-SCSI bridge 210. Controller 213 preferably presents a separate LUN to accessing hosts or devices for each library partition, for example LUN-0 for partition 215, LUN-1 for partition 216 and LUN-2 for partition 217. Control of FC LUN-based security for the partitions is preferably carried out via a library subsystem management interface of RMC 212, which is connected to FC-to-SCSI bridges 210 and 211 via a private management network such as I²C bus 214. Users may configure security for each library partition via a library web management interface or the like, rather than separately configuring the security for each FC-to-SCSI bridge 210 and 211 attached to library 200, manually.

[0020] As shown in FIGURE 2, more than one peripheral can be placed behind a bridge, which can bridge heterogeneous buses, such as FC-to-host and SCSI-to-peripheral. A bridge may be contained either in an enclosure such as a tape/disk rack or tape library containing the peripherals as illustrated in FIGURE 2, each peripheral itself may contain a bridge, or a combination thereof may be present.

[0021] In the example implementation of the present system and method of FIGURES 1 and 2, enhanced FC-to-SCSI bridges 210 and 211 are preferably a part of tape library 108/200 and thus attached between FC SAN RAID 104 and SCSI-interfaced resources of tape library 108/200, such as tape drives 201-204, via FC switch 103. Bridges 210 and 211 preferably pass through all commands and data in the peripheral command sets as dictated by the partitions of library 108/200. Additional commands and data may also be employed by the present enhanced bridges, such as data mover SCSI commands. These commands, although addressed to the peripherals 201-204 of library 200, will preferably be intercepted by bridge 210 and 211 and not passed on to the peripherals. Each bridge will instead preferably implement functionality required by these additional command sets and respond back to the command initiator, whether it be servers 101 or 102 or a SAN component such as RAID 104, as though the bridge is the peripheral, thus providing the aforementioned transparency. Therefore, it appears to the host or other initiator that each peripheral has greater functionality than it actually has.

[0022] Since the exemplar data mover functionality is implemented in the bridge as a virtual overlay to all of the SCSI devices behind the bridge, any security applied to those devices will also preferably apply to the virtual overlay commands as well. A library may be partitioned and secured as discussed above. A security look-up table preferably held in non-volatile memory in bridges 210 and 211 is indexed by authorized WWNs for accessible SCSI Bus/ID/LUN objects to provide operating system (OS)-friendly mapping. Each row of the security look-up tables may represent the SCSI Bus/ID/LUN objects of active partitions that are available to a specified initiator WWN along with the partition number of each SCSI Bus/ID/LUN object. For example, partition 215 may be secured and may only be seen by the host that has WWN_1; partition 216 may be secured and can only be seen by the host that has WWN_2; and partition 217 may be unsecured and can be seen by all hosts on a connected SAN. Such a "System and Method for Managing Access To Multiple Devices in a Partitioned Data Library" is disclosed in U.S. Patent Application Serial Number [30014512-

1]. In such a partition, when a SCSI data mover command is sent to a secured library drive behind the bridge, the bridge preferably uses the same security look-up table disclosed in the immediately aforementioned application. Accordingly, the command initiator's WWN or the like is preferably used to determine whether the virtual overlay command should be processed or rejected. Also, if the bridge security feature implements OS-friendly mapping, the security look-up table should be used to determine which device is being addressed by the data mover SCSI command.

[0023] Turning to the flowchart of FIGURE 3, preferred process 300 carried out in a FC-to-SCSI bridge disposed between SAN 100 and library 108/200 to implement an embodiment of the present overlay method is illustrated. A command may be issued from an initiator (e.g., RAID 104 or a SAN-connected host such as servers 101 or 102) at box 301, and is preferably intercepted by the bridge disposed between the SAN and the command's target library peripheral at box 302. A determination is made at 303 as to whether the command initiator's WWN or other unique host device identifier has an entry row in the bridge's security look-up table. If no entry exists in the look-up table, the command is preferably rejected at box 304 as unauthorized, unless the command is directed to an unsecured peripheral. If an entry for the initiator's WWN is found, the device-mapping in the entry row of the look-up table associated with that entry may be used to determine the library peripheral to which the command is addressed at box 305. If it is determined at 306 that the command is included in the command set the target peripheral can execute, the bridge passes the command through to the peripheral at box 307. If at 306 it is determined that the command is outside the command set the target drive is enabled to carry out, the bridge may intercept and implement the command. Also, the bridge may intercept commands the target peripheral is capable of carrying out, or carrying out in part, for the purpose to implementing the command in a different fashion. The bridge transparently implements intercepted commands at box 308 such that the initiator perceives the target peripheral as the device carrying out the command. To implement a command the bridge may issue commands within the peripheral's command set to the peripheral. Additionally, commands or requests may be issued by the bridge, while emulating a peripheral capable of carrying out the desired command, to SAN resources such as a RAID or FC switch or to servers connected to the SAN. At box 309, the bridge reports back to the initiator, as if it were the peripheral to which the command was addressed, as a peripheral capable of carrying out the command would

respond, thereby emulating an addressed peripheral with greater functionality than the actual library peripheral.

[0024] As will be appreciated by one skilled in the art, the present invention may be used for other types of storage bridges, for example iSCSI-to-SCSI bridges. In such a system and method, the iSCSI equivalent of FC-WWNs, such as iSCSI names, are preferably used to authenticate initiators onto secured partition LUNs.

1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205
2206
2207
2208
2209
2210
2211
2212
2213
2214
2215
2216
2217
2218
2219
2220
2221
2222
2223
2224
2225
2226
2227
2228
2229
2230
2231
2232
2233
2234
2235
2236
2237
2238
2239
2240
2241
2242
2243
2244
2245
2246
2247
2248
2249
2250
2251
2252
2253
2254
2255
2256
2257
2258
2259
2260
2261
2262
2263
2264
2265
2266
2267
2268
2269
2270
2271
2272
2273
2274
2275
2276
2277
2278
2279
2280
2281
2282
2283
2284
2285
2286
2287
2288
2289
2290
2291
2292
2293
2294
2295
2296
2297
2298
2299
2300
2301
2302
2303
2304
2305
2306
2307
2308
2309
2310
2311
2312
2313
2314
2315
2316
2317
2318
2319
2320
2321
2322
2323
2324
2325
2326
2327
2328
2329
2330
2331
2332
2333
2334
2335
2336
2337
2338
2339
2340
2341
2342
2343
2344
2345
2346
2347
2348
2349
2350
2351
2352
2353
2354
2355
2356
2357
2358
2359
2360
2361
2362
2363
2364
2365
2366
2367
2368
2369
2370
2371
2372
2373
2374
2375
2376
2377
2378
2379
2380
2381
2382
2383
2384
2385
2386
2387
2388
2389
2390
2391
2392
2393
2394
2395
2396
2397
2398
2399
2400
2401
2402
2403
2404
2405
2406
2407
2408
2409
2410
2411
2412
2413
2414
2415
2416
2417
2418
2419
2420
2421
2422
2423
2424
2425
2426
2427
2428
2429
2430
2431
2432
2433
2434
2435
2436
2437
2438
2439
2440
2441
2442
2443
2444
2445
2446
2447
2448
2449
2450
2451
2452
2453
2454
2455
2456
2457
2458
2459
2460
2461
2462
2463
2464
2465
2466
2467
2468
2469
2470
2471
2472
2473
2474
2475
2476
2477
2478
2479
2480
2481
2482
2483
2484
2485
2486
2487
2488
2489
2490
2491
2492
2493
2494
2495
2496
2497
2498
2499
2500
2501
2502
2503
2504
2505
2506
2507
2508
2509
2510
2511
2512
2513
2514
2515
2516
2517
2518
2519
2520
2521
2522
2523
2524
2525
2526
2527
2528
2529
2530
2531
2532
2533
2534
2535
2536
2537
2538
2539
2540
2541
2542
2543
2544
2545
2546
2547
2548
2549
2550
2551
2552
2553
2554
2555
2556
2557
2558
2559
2560
2561
2562
2563
2564
2565
2566
2567
2568
2569
2570
2571
2572
2573
2574
2575
2576
2577
2578
2579
2580
2581
2582
2583
2584
2585
2586
2587
2588
2589
2590
2591
2592
2593
2594
2595
2596
2597
2598
2599
2600
2601
2602
2603
2604
2605
2606
2607
2608
2609
2610
2611
2612
2613
2614
2615
2616
2617
2618
2619
2620
2621
2622
2623
2624
2625
2626
2627
2628
2629
2630
2631
2632
2633
2634
2635
2636
2637
2638
2639
2640
2641
2642
2643
2644
2645
2646
2647
2648
2649
2650
2651
2652
2653
2654
2655
2656
2657
2658
2659
2660
2661
2662
2663
2664
2665
2666
2667
2668
2669
2670
2671
2672
2673
2674
2675
2676
2677
2678
2679
2680
2681
2682
2683
2684
2685
2686
2687
2688
2689
2690
2691
2692
2693
2694
2695
2696
2697
2698
2699
2700
2701
2702
2703
2704
2705
2706
2707
2708
2709
2710
2711
2712
2713
2714
2715
2716
2717
2718
2719
2720
2721
2722
2723
2724
2725
2726
2727
2728
2729
2730
2731
2732
2733
2734
2735
2736
2737
2738
2739
2740
2741
2742
2743
2744
2745
2746
2747
2748
2749
2750
2751
2752
2753
2754
2755
2756
2757
2758
2759
2760
2761
2762
2763
2764
2765
2766
2767
2768
2769
2770
2771
2772
2773
2774
2775
2776
2777
2778
2779
2780
2781
2782
2783
2784
2785
2786
2787
2788
2789
2790
2791
2792
2793
2794
2795
2796
2797
2798
2799
2800
2801
2802
2803
2804
2805
2806
2807
2808
2809
2810
2811
2812
2813
2814
2815
2816
2817
2818
2819
2820
2821
2822
2823
2824
2825
2826
2827
2828
2829
2830
2831
2832
2833
2834
2835
2836
2837
2838
2839
2840
2841
2842
2843
2844
2845
2846
2847
2848
2849
2850
2851
2852
2853
2854
2855
2856
2857
2858
2859
2860
2861
2862
2863
2864
2865
2866
2867
2868
2869
2870
2871
2872
2873
2874
2875
2876
2877
2878
2879
2880
2881
2882
2883
2884
2885
2886
2887
2888
2889
2890
2891
2892
2893
2894
2895
2896
2897
2898
2899
2900
2901
2902
2903
2904
2905
2906
2907
2908
2909
2910
2911
2912
2913
2914
2915
2916
2917
2918
2919
2920
2921
2922
2923
2924
2925
2926
2927
2928
2929
2930
2931
2932
2933
2934
2935
2936
2937
2938
2939
2940
2941
2942
2943
2944
2945
2946
2947
2948
2949
2950
2951
2952
2953
2954
2955
2956
2957
2958
2959
2960
2961
2962
2963
2964
2965
2966
2967
2968
2969
2970
2971
2972
2973
2974
2975
2976
2977
2978
2979
2980
2981
2982
2983
2984
2985
2986
2987
2988
2989
2990
2991
2992
2993
2994
2995
2996
2997
2998
2999
3000
3001
3002
3003
3004
3005
3006
3007
3008
3009
3010
3011
3012
3013
301